



NEW-MED s.r.l.

Piazza Santa Maria, 18
26855 Lodi Vecchio (LO) - Italy


+39 0371752374

info@new-med.eu
<https://www.new-med.eu/>


P.iva/C.F: IT-12502690964

Rea: LO-2666383

Saw Blade fits to Aesculap® Acculan 3Ti




Length	Width	Thickness	REF No non-sterile	REF No sterile
40 mm	15 mm	0.50 mm	289.1540.050	289.1540.050S




Length	Width	Thickness	REF No non-sterile	REF No sterile
50 mm	19 mm	0.60 mm	289.1950.060	289.1950.060S


Saw Blade fits to Aesculap® Acculan 3Ti




Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	6 mm	0.60 mm	289.0625.060	289.0625.060S




Length	Width	Thickness	REF No non-sterile	REF No sterile
31 mm	7 mm	0.40 mm	289.0731.040F	289.0731.040FS




Length	Width	Thickness	REF No non-sterile	REF No sterile
21 mm	9 mm	0.40 mm	289.0921.040F	289.0921.040FS




Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	9 mm	0.40 mm	289.0925.040	289.0925.040S



Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	10 mm	0.60 mm	289.1025.060	289.1025.060S



Length	Width	Thickness	REF No non-sterile	REF No sterile
50 mm	10 mm	0.60 mm	289.1050.060	289.1050.060S




Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	14 mm	0.60 mm	289.1425.060	289.1425.060S

Saw Blade fits to Aesculap® Acculan 3Ti

90 MM LENGTH


25 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	25 mm	0.90 mm	219.259.090	219.259.090S
90 mm	25 mm	1.00 mm	219.259.100	219.259.100S
90 mm	25 mm	1.19 mm	219.259.119	219.259.119S
90 mm	25 mm	1.23 mm	219.259.123	219.259.123S
90 mm	25 mm	1.25 mm	219.259.125	219.259.125S
90 mm	25 mm	1.27 mm	219.259.127	219.259.127S
90 mm	25 mm	1.37 mm	219.259.137	219.259.137S
90 mm	25 mm	1.47 mm	219.259.147	219.259.147S

90 MM LENGTH

19 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	19 mm	0.90 mm	219.199.090	219.199.090S
90 mm	19 mm	1.00 mm	219.199.100	219.199.100S
90 mm	19 mm	1.19 mm	219.199.119	219.199.119S
90 mm	19 mm	1.23 mm	219.199.123	219.199.123S
90 mm	19 mm	1.25 mm	219.199.125	219.199.125S
90 mm	19 mm	1.27 mm	219.199.127	219.199.127S
90 mm	19 mm	1.37 mm	219.199.137	219.199.137S
90 mm	19 mm	1.47 mm	219.199.147	219.199.147S

Saw Blade fits to Aesculap® Acculan 3Ti

90 MM LENGTH


12 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	12 mm	0.90 mm	219.129.090	219.129.090S
90 mm	12 mm	1.00 mm	219.129.100	219.129.100S
90 mm	12 mm	1.19 mm	219.129.119	219.129.119S
90 mm	12 mm	1.23 mm	219.129.123	219.129.123S
90 mm	12 mm	1.25 mm	219.129.125	219.129.125S
90 mm	12 mm	1.27 mm	219.129.127	219.129.127S
90 mm	12 mm	1.37 mm	219.129.137	219.129.137S
90 mm	12 mm	1.47 mm	219.129.147	219.129.147S

90 MM LENGTH


19 - 22 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	19 - 22 mm	1.19 mm	219.969.119	219.969.119S

Saw Blade fits to Aesculap® Acculan 3Ti

90 MM LENGTH 12 - 19 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	12 - 19 mm	0.90 mm	219.999.090	219.999.090S
90 mm	12 - 19 mm	1.00 mm	219.999.100	219.999.100S
90 mm	12 - 19 mm	1.19 mm	219.999.119	219.999.119S
90 mm	12 - 19 mm	1.23 mm	219.999.123	219.999.123S
90 mm	12 - 19 mm	1.25 mm	219.999.125	219.999.125S
90 mm	12 - 19 mm	1.27 mm	219.999.127	219.999.127S
90 mm	12 - 19 mm	1.37 mm	219.999.137	219.999.137S
90 mm	12 - 19 mm	1.47 mm	219.999.147	219.999.147S

70 MM LENGTH 25 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	25 mm	0.90 mm	219.257.090	219.257.090S
70 mm	25 mm	1.00 mm	219.257.100	219.257.100S
70 mm	25 mm	1.19 mm	219.257.119	219.257.119S
70 mm	25 mm	1.23 mm	219.257.123	219.257.123S
70 mm	25 mm	1.25 mm	219.257.125	219.257.125S
70 mm	25 mm	1.27 mm	219.257.127	219.257.127S
70 mm	25 mm	1.37 mm	219.257.137	219.257.137S
70 mm	25 mm	1.47 mm	219.257.147	219.257.147S

Saw Blade fits to Aesculap® Acculan 3Ti

70 MM LENGTH


19 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	19 mm	0.90 mm	219.197.090	219.197.090S
70 mm	19 mm	1.00 mm	219.197.100	219.197.100S
70 mm	19 mm	1.19 mm	219.197.119	219.197.119S
70 mm	19 mm	1.23 mm	219.197.123	219.197.123S
70 mm	19 mm	1.25 mm	219.197.125	219.197.125S
70 mm	19 mm	1.27 mm	219.197.127	219.197.127S
70 mm	19 mm	1.37 mm	219.197.137	219.197.137S
70 mm	19 mm	1.47 mm	219.197.147	219.197.147S

70 MM LENGTH


12 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	12 mm	1.27 mm	219.127.127	219.127.127S


50 MM LENGTH

12 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
50 mm	12 mm	1.27 mm	219.125.127	219.125.127S


Saw Blade fits to Aesculap® Acculan 3Ti



Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	18 mm	0.80 mm	209.1870.080	209.1870.080S




Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	20 mm	0.80 mm	209.2070.080	209.2070.080S
70 mm	20 mm	1.10 mm	209.2070.110	209.2070.110S




Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	27 mm	0.80 mm	209.2770.080	209.2770.080S
70 mm	27 mm	1.20 mm	209.2770.120	209.2770.120S

Saw Blade fits to Aesculap® Acculan 3Ti




Length	Width	Thickness	REF No non-sterile	REF No sterile
35 mm	20 mm	0.60 mm	209.2035.060	209.2035.060S
35 mm	20 mm	1.10 mm	209.2035.110	209.2035.110S



Length	Width	Thickness	REF No non-sterile	REF No sterile
48 mm	14 mm	0.60 mm	209.1448.060	209.1448.060S
48 mm	14 mm	1.00 mm	209.1448.100	209.1448.100S




Length	Width	Thickness	REF No non-sterile	REF No sterile
48 mm	20 mm	0.60 mm	209.2048.060	209.2048.060S
48 mm	20 mm	0.80 mm	209.2048.080	209.2048.080S




Length	Width	Thickness	REF No non-sterile	REF No sterile
48 mm	27 mm	0.60 mm	209.2748.060	209.2748.060S
48 mm	27 mm	0.80 mm	209.2748.080	209.2748.080S
48 mm	27 mm	1.10 mm	209.2748.110	209.2748.110S


Saw Blade fits to Aesculap® Acculan 3Ti




Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	6 mm	0.60 mm	209.0625.060	209.0625.060S



Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	14 mm	0.60 mm	209.1425.060	209.1425.060S



Length	Width	Thickness	REF No non-sterile	REF No sterile
35 mm	10 mm	0.60 mm	209.1035.060	209.1035.060S
35 mm	10 mm	0.80 mm	209.1035.080	209.1035.080S



Length	Width	Thickness	REF No non-sterile	REF No sterile
35 mm	14 mm	0.60 mm	209.1435.060	209.1435.060S


Saw Blade fits to Aesculap® Acculan 3Ti

90 MM LENGTH 25 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	25 mm	0.90 mm	269.259.090	269.259.090S
90 mm	25 mm	1.00 mm	269.259.100	269.259.100S
90 mm	25 mm	1.19 mm	269.259.119	269.259.119S
90 mm	25 mm	1.27 mm	269.259.127	269.259.127S
90 mm	25 mm	1.37 mm	269.259.137	269.259.137S
90 mm	25 mm	1.47 mm	269.259.147	269.259.147S

90 MM LENGTH 19 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	19 mm	0.90 mm	269.199.090	269.199.090S
90 mm	19 mm	1.00 mm	269.199.100	269.199.100S
90 mm	19 mm	1.19 mm	269.199.119	269.199.119S
90 mm	19 mm	1.27 mm	269.199.127	269.199.127S
90 mm	19 mm	1.37 mm	269.199.137	269.199.137S
90 mm	19 mm	1.47 mm	269.199.147	269.199.147S


Reciprocating Saw Blade fits to Aesculap® Acculan 3Ti



Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	12 mm	1.10 mm	233.270.110	233.270.110S




Length	Width	Thickness	REF No non-sterile	REF No sterile
60 mm	9 mm	1.00 mm	233.160.100	233.160.100S



Length	Width	Thickness	REF No non-sterile	REF No sterile
77 mm	12 mm	1.10 mm	233.177.110	233.177.110S




Length	Width	Thickness	REF No non-sterile	REF No sterile
82 mm	10 mm	1.00 mm	233.782.100	233.782.100S



Length	Width	Thickness	REF No non-sterile	REF No sterile
85 mm	12 mm	1.20 mm	233.785.120	233.785.120S


Saw Blade fits to Aesculap® Acculan 3Ti

90 MM LENGTH 12 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	12 mm	0.90 mm	269.129.090	269.129.090S
90 mm	12 mm	1.00 mm	269.129.100	269.129.100S
90 mm	12 mm	1.19 mm	269.129.119	269.129.119S
90 mm	12 mm	1.27 mm	269.129.127	269.129.127S
90 mm	12 mm	1.37 mm	269.129.137	269.129.137S
90 mm	12 mm	1.47 mm	269.129.147	269.129.147S

80 MM LENGTH 12 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
80 mm	12 mm	1.27 mm	269.128.127	269.128.127S


80 MM LENGTH 8 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
80 mm	8 mm	1.27 mm	269.088.127	269.088.127S

Saw Blade fits to Aesculap® Acculan 3Ti

65 MM LENGTH 10 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
65 mm	10 mm	1.27 mm	269.107.127	269.107.127S