



NEW-MED s.r.l.

Piazza Santa Maria, 18
26855 Lodi Vecchio (LO) - Italy

+39 0371752374

info@new-med.eu
<https://www.new-med.eu/>


P.iva/C.F: IT-12502690964

Rea: LO-2666383

Saw Blade fits to Aesculap®

90 MM LENGTH

25 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	25 mm	0.90 mm	212.259.090	212.259.090S
90 mm	25 mm	1.00 mm	212.259.100	212.259.100S
90 mm	25 mm	1.19 mm	212.259.119	212.259.119S
90 mm	25 mm	1.23 mm	212.259.123	212.259.123S
90 mm	25 mm	1.25 mm	212.259.125	212.259.125S
90 mm	25 mm	1.27 mm	212.259.127	212.259.127S
90 mm	25 mm	1.37 mm	212.259.137	212.259.137S
90 mm	25 mm	1.47 mm	212.259.147	212.259.147S

90 MM LENGTH

19 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	19 mm	0.90 mm	212.199.090	212.199.090S
90 mm	19 mm	1.00 mm	212.199.100	212.199.100S
90 mm	19 mm	1.19 mm	212.199.119	212.199.119S
90 mm	19 mm	1.23 mm	212.199.123	212.199.123S
90 mm	19 mm	1.25 mm	212.199.125	212.199.125S
90 mm	19 mm	1.27 mm	212.199.127	212.199.127S
90 mm	19 mm	1.37 mm	212.199.137	212.199.137S
90 mm	19 mm	1.47 mm	212.199.147	212.199.147S

Saw Blade fits to Aesculap®

90 MM LENGTH


12 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	12 mm	0.90 mm	212.129.090	212.129.090S
90 mm	12 mm	1.00 mm	212.129.100	212.129.100S
90 mm	12 mm	1.19 mm	212.129.119	212.129.119S
90 mm	12 mm	1.23 mm	212.129.123	212.129.123S
90 mm	12 mm	1.25 mm	212.129.125	212.129.125S
90 mm	12 mm	1.27 mm	212.129.127	212.129.127S
90 mm	12 mm	1.37 mm	212.129.137	212.129.137S
90 mm	12 mm	1.47 mm	212.129.147	212.129.147S

90 MM LENGTH


12 - 19 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	12 - 19 mm	0.90 mm	212.999.090	212.999.090S
90 mm	12 - 19 mm	1.00 mm	212.999.100	212.999.100S
90 mm	12 - 19 mm	1.19 mm	212.999.119	212.999.119S
90 mm	12 - 19 mm	1.23 mm	212.999.123	212.999.123S
90 mm	12 - 19 mm	1.25 mm	212.999.125	212.999.125S
90 mm	12 - 19 mm	1.27 mm	212.999.127	212.999.127S
90 mm	12 - 19 mm	1.37 mm	212.999.137	212.999.137S
90 mm	12 - 19 mm	1.47 mm	212.999.147	212.999.147S


Saw Blade fits to Aesculap®

70 MM LENGTH 25 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	25 mm	0.90 mm	212.257.090	212.257.090S
70 mm	25 mm	1.00 mm	212.257.100	212.257.100S
70 mm	25 mm	1.19 mm	212.257.119	212.257.119S
70 mm	25 mm	1.23 mm	212.257.123	212.257.123S
70 mm	25 mm	1.25 mm	212.257.125	212.257.125S
70 mm	25 mm	1.27 mm	212.257.127	212.257.127S
70 mm	25 mm	1.37 mm	212.257.137	212.257.137S
70 mm	25 mm	1.47 mm	212.257.147	212.257.147S

70 MM LENGTH 19 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	19 mm	0.90 mm	212.197.090	212.197.090S
70 mm	19 mm	1.00 mm	212.197.100	212.197.100S
70 mm	19 mm	1.19 mm	212.197.119	212.197.119S
70 mm	19 mm	1.23 mm	212.197.123	212.197.123S
70 mm	19 mm	1.25 mm	212.197.125	212.197.125S
70 mm	19 mm	1.27 mm	212.197.127	212.197.127S
70 mm	19 mm	1.37 mm	212.197.137	212.197.137S
70 mm	19 mm	1.47 mm	212.197.147	212.197.147S

Saw Blade fits to Aesculap®


50 MM LENGTH

25 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
50 mm	25 mm	0.90 mm	212.255.090	212.255.090S

Saw Blade fits to Aesculap® Acculan 3Ti




Length	Width	Thickness	REF No non-sterile	REF No sterile
40 mm	15 mm	0.50 mm	289.1540.050	289.1540.050S




Length	Width	Thickness	REF No non-sterile	REF No sterile
50 mm	19 mm	0.60 mm	289.1950.060	289.1950.060S


Saw Blade fits to Aesculap® Acculan 3Ti




Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	6 mm	0.60 mm	289.0625.060	289.0625.060S




Length	Width	Thickness	REF No non-sterile	REF No sterile
31 mm	7 mm	0.40 mm	289.0731.040F	289.0731.040FS




Length	Width	Thickness	REF No non-sterile	REF No sterile
21 mm	9 mm	0.40 mm	289.0921.040F	289.0921.040FS




Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	9 mm	0.40 mm	289.0925.040	289.0925.040S



Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	10 mm	0.60 mm	289.1025.060	289.1025.060S



Length	Width	Thickness	REF No non-sterile	REF No sterile
50 mm	10 mm	0.60 mm	289.1050.060	289.1050.060S



Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	14 mm	0.60 mm	289.1425.060	289.1425.060S


Saw Blade fits to Aesculap® Acculan 3Ti

90 MM LENGTH 25 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	25 mm	0.90 mm	219.259.090	219.259.090S
90 mm	25 mm	1.00 mm	219.259.100	219.259.100S
90 mm	25 mm	1.19 mm	219.259.119	219.259.119S
90 mm	25 mm	1.23 mm	219.259.123	219.259.123S
90 mm	25 mm	1.25 mm	219.259.125	219.259.125S
90 mm	25 mm	1.27 mm	219.259.127	219.259.127S
90 mm	25 mm	1.37 mm	219.259.137	219.259.137S
90 mm	25 mm	1.47 mm	219.259.147	219.259.147S


90 MM LENGTH 19 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	19 mm	0.90 mm	219.199.090	219.199.090S
90 mm	19 mm	1.00 mm	219.199.100	219.199.100S
90 mm	19 mm	1.19 mm	219.199.119	219.199.119S
90 mm	19 mm	1.23 mm	219.199.123	219.199.123S
90 mm	19 mm	1.25 mm	219.199.125	219.199.125S
90 mm	19 mm	1.27 mm	219.199.127	219.199.127S
90 mm	19 mm	1.37 mm	219.199.137	219.199.137S
90 mm	19 mm	1.47 mm	219.199.147	219.199.147S


Saw Blade fits to Aesculap® Acculan 3Ti

90 MM LENGTH 12 MM



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	12 mm	0.90 mm	219.129.090	219.129.090S
90 mm	12 mm	1.00 mm	219.129.100	219.129.100S
90 mm	12 mm	1.19 mm	219.129.119	219.129.119S
90 mm	12 mm	1.23 mm	219.129.123	219.129.123S
90 mm	12 mm	1.25 mm	219.129.125	219.129.125S
90 mm	12 mm	1.27 mm	219.129.127	219.129.127S
90 mm	12 mm	1.37 mm	219.129.137	219.129.137S
90 mm	12 mm	1.47 mm	219.129.147	219.129.147S


90 MM LENGTH 19 - 22 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	19 - 22 mm	1.19 mm	219.969.119	219.969.119S


Saw Blade fits to Aesculap® Acculan 3Ti

70 MM LENGTH 19 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	19 mm	0.90 mm	219.197.090	219.197.090S
70 mm	19 mm	1.00 mm	219.197.100	219.197.100S
70 mm	19 mm	1.19 mm	219.197.119	219.197.119S
70 mm	19 mm	1.23 mm	219.197.123	219.197.123S
70 mm	19 mm	1.25 mm	219.197.125	219.197.125S
70 mm	19 mm	1.27 mm	219.197.127	219.197.127S
70 mm	19 mm	1.37 mm	219.197.137	219.197.137S
70 mm	19 mm	1.47 mm	219.197.147	219.197.147S

70 MM LENGTH 12 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	12 mm	1.27 mm	219.127.127	219.127.127S

50 MM LENGTH 12 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
50 mm	12 mm	1.27 mm	219.125.127	219.125.127S

Saw Blade fits to Aesculap® Acculan 3Ti



Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	18 mm	0.80 mm	209.1870.080	209.1870.080S




Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	20 mm	0.80 mm	209.2070.080	209.2070.080S
70 mm	20 mm	1.10 mm	209.2070.110	209.2070.110S




Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	27 mm	0.80 mm	209.2770.080	209.2770.080S
70 mm	27 mm	1.20 mm	209.2770.120	209.2770.120S

Saw Blade fits to Aesculap® Acculan 3Ti




Length	Width	Thickness	REF No non-sterile	REF No sterile
35 mm	20 mm	0.60 mm	209.2035.060	209.2035.060S
35 mm	20 mm	1.10 mm	209.2035.110	209.2035.110S



Length	Width	Thickness	REF No non-sterile	REF No sterile
48 mm	14 mm	0.60 mm	209.1448.060	209.1448.060S
48 mm	14 mm	1.00 mm	209.1448.100	209.1448.100S




Length	Width	Thickness	REF No non-sterile	REF No sterile
48 mm	20 mm	0.60 mm	209.2048.060	209.2048.060S
48 mm	20 mm	0.80 mm	209.2048.080	209.2048.080S




Length	Width	Thickness	REF No non-sterile	REF No sterile
48 mm	27 mm	0.60 mm	209.2748.060	209.2748.060S
48 mm	27 mm	0.80 mm	209.2748.080	209.2748.080S
48 mm	27 mm	1.10 mm	209.2748.110	209.2748.110S


aw a e s o escu ap ccu an




Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	6 mm	0.60 mm	209.0625.060	209.0625.060S



Length	Width	Thickness	REF No non-sterile	REF No sterile
25 mm	14 mm	0.60 mm	209.1425.060	209.1425.060S




Length	Width	Thickness	REF No non-sterile	REF No sterile
35 mm	10 mm	0.60 mm	209.1035.060	209.1035.060S
35 mm	10 mm	0.80 mm	209.1035.080	209.1035.080S



Length	Width	Thickness	REF No non-sterile	REF No sterile
35 mm	14 mm	0.60 mm	209.1435.060	209.1435.060S


Saw Blade fits to Aesculap®

90 MM LENGTH 25 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	25 mm	0.90 mm	262.259.090	262.259.090S
90 mm	25 mm	1.00 mm		262.259.100S
90 mm	25 mm	1.19 mm	262.259.119	262.259.119S
90 mm	25 mm	1.27 mm	262.259.127	262.259.127S
90 mm	25 mm	1.37 mm	262.259.137	262.259.137S
90 mm	25 mm	1.47 mm	262.259.147	262.259.147S


90 MM LENGTH 19 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	19 mm	0.90 mm	262.199.090	262.199.090S
90 mm	19 mm	1.00 mm	262.199.100	262.199.100S
90 mm	19 mm	1.19 mm	262.199.119	262.199.119S
90 mm	19 mm	1.27 mm	262.199.127	262.199.127S
90 mm	19 mm	1.37 mm	262.199.137	262.199.137S
90 mm	19 mm	1.47 mm	262.199.147	262.199.147S


Saw Blade fits to Aesculap®

90 MM LENGTH 12 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	12 mm	0.90 mm	262.129.090	262.129.090S
90 mm	12 mm	1.00 mm	262.129.100	262.129.100S
90 mm	12 mm	1.19 mm	262.129.119	262.129.119S
90 mm	12 mm	1.27 mm	262.129.127	262.129.127S
90 mm	12 mm	1.37 mm	262.129.137	262.129.137S
90 mm	12 mm	1.47 mm	262.129.147	262.129.147S

65 MM LENGTH 10 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
65 mm	10 mm	1.27 mm	262.107.127	262.107.127S


Saw Blade fits to Aesculap®



Length	Width	Thickness	REF No non-sterile	REF No sterile
48 mm	20 mm	0.60 mm	202.2048.060	202.2048.060S
48 mm	20 mm	0.80 mm	202.2048.080	202.2048.080S
48 mm	20 mm	1.00 mm	202.2048.100	202.2048.100S



Length	Width	Thickness	REF No non-sterile	REF No sterile
48 mm	27 mm	0.60 mm	202.2748.060	202.2748.060S
48 mm	27 mm	0.80 mm	202.2748.080	202.2748.080S




Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	20 mm	0.80 mm	202.2070.080	202.2070.080S



Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	27 mm	0.80 mm	202.2770.080	202.2770.080S


Saw Blade fits to Aesculap® Acculan 3Ti

90 MM LENGTH 25 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	25 mm	0.90 mm	269.259.090	269.259.090S
90 mm	25 mm	1.00 mm	269.259.100	269.259.100S
90 mm	25 mm	1.19 mm	269.259.119	269.259.119S
90 mm	25 mm	1.27 mm	269.259.127	269.259.127S
90 mm	25 mm	1.37 mm	269.259.137	269.259.137S
90 mm	25 mm	1.47 mm	269.259.147	269.259.147S

90 MM LENGTH 19 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	19 mm	0.90 mm	269.199.090	269.199.090S
90 mm	19 mm	1.00 mm	269.199.100	269.199.100S
90 mm	19 mm	1.19 mm	269.199.119	269.199.119S
90 mm	19 mm	1.27 mm	269.199.127	269.199.127S
90 mm	19 mm	1.37 mm	269.199.137	269.199.137S
90 mm	19 mm	1.47 mm	269.199.147	269.199.147S


Saw Blade fits to Aesculap®



Length	Width	Thickness	REF No non-sterile	REF No sterile
35 mm	10 mm	0.60 mm	202.1035.060	202.1035.060S




Length	Width	Thickness	REF No non-sterile	REF No sterile
35 mm	20 mm	0.60 mm	202.2035.060	202.2035.060S



Length	Width	Thickness	REF No non-sterile	REF No sterile
48 mm	14 mm	0.60 mm	202.1448.060	202.1448.060S
48 mm	14 mm	0.80 mm	202.1448.080	202.1448.080S


Reciprocating Saw Blade fits to Aesculap® Acculan 3Ti




Length	Width	Thickness	REF No non-sterile	REF No sterile
70 mm	12 mm	1.10 mm	233.270.110	233.270.110S



Length	Width	Thickness	REF No non-sterile	REF No sterile
60 mm	9 mm	1.00 mm	233.160.100	233.160.100S



Length	Width	Thickness	REF No non-sterile	REF No sterile
77 mm	12 mm	1.10 mm	233.177.110	233.177.110S




Length	Width	Thickness	REF No non-sterile	REF No sterile
82 mm	10 mm	1.00 mm	233.782.100	233.782.100S



Length	Width	Thickness	REF No non-sterile	REF No sterile
85 mm	12 mm	1.20 mm	233.785.120	233.785.120S


Saw Blade fits to Aesculap® Acculan 3Ti

90 MM LENGTH 12 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
90 mm	12 mm	0.90 mm	269.129.090	269.129.090S
90 mm	12 mm	1.00 mm	269.129.100	269.129.100S
90 mm	12 mm	1.19 mm	269.129.119	269.129.119S
90 mm	12 mm	1.27 mm	269.129.127	269.129.127S
90 mm	12 mm	1.37 mm	269.129.137	269.129.137S
90 mm	12 mm	1.47 mm	269.129.147	269.129.147S

80 MM LENGTH 12 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
80 mm	12 mm	1.27 mm	269.128.127	269.128.127S

80 MM LENGTH 8 MM WIDTH




Length	Width	Thickness	REF No non-sterile	REF No sterile
80 mm	8 mm	1.27 mm	269.088.127	269.088.127S

Saw Blade fits to Aesculap® Acculan 3Ti

65 MM LENGTH

10 MM WIDTH



Length	Width	Thickness	REF No non-sterile	REF No sterile
65 mm	10 mm	1.27 mm	269.107.127	269.107.127S